

CP/NP-3201


Section 4



Outline Dimensions

Issued: 11/00

Supersedes: 3/96



NOTES:

1. DIM. TO ENDS OF GUIDE BARS.
2. REPRESENTS CLEAR INSIDE EDGE OF ACCESS FRAME OR OPENING.
3. SEE STATION DWG. FOR COMPLETE INSTALLATION DIMENSIONS.

NOM. SIZE	MODEL	VERSION	WEIGHT (LBS)	
			PUMP CI/SST	DISCH CI/SST
4"	CP	SH	1110/ N/A	80/ N/A
6"	CP	HT	1135/1235	120/ N/A
8"	CP	HT	1135/1235	150/160
* 8"	CP/NP	MT	1235/1280	175/ N/A
* 10"	CP/NP	MT	1235/1280	200/225
12"	CP	LT	1415/ N/A	455/ N/A
14"	CP	LT	1415/ N/A	465/ N/A

* ALSO AVAILABLE IN STAINLESS STEEL
ALL DIMENSIONS IN INCHES

	NOM. SIZE	MODEL	VERSION	DIMENSIONAL CHART																			
				A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W
* * *	4"	CP	SH	3 ₄	9 ₈	7 ₄	3 ₈	10 ₄	15 ₄	10	50	4 1 ₂	22 ₂	38	10	11 ₂	10 ₂	47	26 ₄	17	2 ₄	29	4
	6"	CP	HT	2 ₈	11	10	5	13	17 ₄	11	50	5 ₄	22 ₂	38	10 ₂	11	10 ₂	49 ₂	26 ₄	18	2 ₄	38	2
	8"	CP	HT	3 ₂	11	10	5	13 ₄	17 ₄	12 ₄	50	6 ₂	22 ₂	38	10 ₂	11	10 ₂	51 ₂	26 ₄	19	2 ₄	38	2
	8"	CP/NP	MT	3 ₂	11	10	5	14 ₄	17 ₄	12 ₄	50 ₂	6 ₄	24 ₄	44 ₄	13	16 ₄	14 ₂	57 ₄	28 ₂	19	2 ₄	39	4
	10"	CP/NP	MT	12 ₄	19 ₄	10	5	13 ₂	17 ₄	14 ₄	50 ₄	6	24 ₂	44	12 ₄	16 ₄	14 ₄	61	28 ₄	19	2 ₄	39	5
	12"	CP	LT	7 ₈	19 ₄	20 ₄	10 ₈	26 ₂	31 ₂	17	53 ₂	10 ₄	27 ₂	48 ₄	12 ₂	18 ₂	15 ₂	69 ₂	31 ₄	26	3	39	0
	14"	CP	LT	7 ₈	19 ₄	20 ₄	10 ₈	26 ₂	33 ₂	18	53 ₂	10 ₄	27 ₂	48 ₄	12 ₂	18 ₂	15 ₂	71 ₂	31 ₄	26	3	39	0

CS/NS-3201


Section 4



Outline Dimensions


Issued: 11/00

Supersedes: 3/96





NOTE:

** ON THE 10" LT VERSION, THE STAND MOUNTING HOLES ON THE PUMP ARE LOCATED ON THE STAND CENTER LINES AND ARE NOT OFFSET 45° AS SHOWN.



NOM. SIZE
HOSE



NOM. SIZE	MODEL	VERSION	WEIGHT (LBS)
			TOTAL W/STAND CI/SST
4"	CS	SH	1125/ N/A
6"	CS	HT	1190/ N/A
* 8"	CS/NS	MT	1300/1390
* 10"	CS	LT	1410/1500

ALL DIMENSIONS IN INCHES

* ALSO AVAILABLE IN STAINLESS STEEL

NOM. SIZE			MODEL		VERSION		DIMENSIONAL CHART																							
			A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W	Y							
4"			CS	SH	21 $\frac{1}{4}$	17 $\frac{3}{4}$	22 $\frac{1}{2}$	7 $\frac{1}{8}$	3 $\frac{3}{4}$	20 $\frac{1}{2}$	4	50	57 $\frac{1}{2}$	4	33	10 $\frac{1}{2}$	11 $\frac{1}{4}$	10 $\frac{1}{2}$	M16	15 $\frac{3}{4}$	12 $\frac{1}{2}$	35	22 $\frac{3}{4}$	23 $\frac{3}{4}$	40					
6"			CS	HT	23	17 $\frac{3}{4}$	22 $\frac{1}{2}$	9 $\frac{1}{2}$	1	23 $\frac{1}{2}$	8	50	57 $\frac{1}{2}$	5 $\frac{3}{4}$	36 $\frac{1}{4}$	10 $\frac{1}{2}$	11 $\frac{1}{4}$	10 $\frac{1}{2}$	M16	15 $\frac{3}{4}$	13 $\frac{3}{4}$	37 $\frac{3}{4}$	22 $\frac{3}{4}$	23 $\frac{3}{4}$	41					
8"			CS/NS	MT	26	19 $\frac{3}{4}$	22 $\frac{1}{2}$	11 $\frac{5}{8}$	1	28 $\frac{1}{2}$	8	50 $\frac{3}{4}$	57	7 $\frac{3}{4}$	44 $\frac{1}{2}$	13	16 $\frac{1}{4}$	14 $\frac{3}{4}$	M16	15 $\frac{3}{4}$	14 $\frac{1}{2}$	41 $\frac{3}{4}$	22 $\frac{3}{4}$	23 $\frac{3}{4}$	44 $\frac{3}{4}$					
10"			CS	LT	30 $\frac{1}{4}$	23	15 $\frac{0}{4}$	15 $\frac{3}{4}$	1	36	12	53 $\frac{1}{2}$	63	12	51	12 $\frac{1}{2}$	18 $\frac{3}{4}$	15 $\frac{3}{4}$	M16	22 $\frac{1}{8}$	19	56	39 $\frac{1}{2}$	41 $\frac{1}{2}$	51 $\frac{1}{4}$					

CT/NT-3201





Section 4

FLYGT

Outline Dimensions

Issued: 11/00

Supersedes: 3/96



NOM SIZE (K x L)	MODEL	VERSION	WEIGHT(LBS.)
			TOTAL W/STAND CI/SST
4" x 6"	CT	SH	1125/N/A
* 6" x 8"	CT	HT	1280/1390
* 8" x 10"	CT/NT	MT	1485/1500

NOTE:

PUMP CAN BE ROTATED ABOUT ITS VERTICAL CENTERLINE TO (4x) POSITIONS RELATIVE TO THE INLET ELBOW. INCREMENTS ARE 90°.

ALL DIMENSIONS IN INCHES

* ALSO AVAILABLE IN STAINLESS STEEL

NOM SIZE (K x L)			MODEL	VERSION	DIMENSIONAL CHART																								
					A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W	X	Y	Z		
4"x 6"					CT	SH	18½	17¾	15¾	7¾	12¾	12	5¾	50	57½	4	6	10	11¼	10½	M16	15¾	4	11½	22¾	23¾	22½ ¹⁰	9⅞	8¼
6"x 8"					CT	HT	18½	17¾	18	13½	17¾	15¾	6	50	57½	6	8	10½	11	10½	M20	15¾	8	13¾	22¾	23¾	22½ ¹⁰	9⅞	9⅞
8"x10"					CT/NT	MT	18½	19¾	21¼	14½	15¾	17¾	8	50¾	57	8	10	12¾	16¼	14¾	M20	15¾	8	13¾	22¾	23¾	22½ ¹⁰	9⅞	11⅞

CT-3201



Section 4



Outline Dimensions

Issued: 8/99

Supersedes: 3/96



NOM. SIZE (K x L)	VERSION	WEIGHT(LBS.) TOTAL W/STAND
12"x16"	LT	1950

ALL DIMENSIONS IN INCHES

NOTE:
PUMP CAN BE ROTATED ABOUT ITS VERTICAL
CENTERLINE TO (4) POSITIONS RELATIVE TO
THE INLET ELBOW. INCREMENTS ARE 90°.

NOM. SIZE (K x L)	VERSION	DIMENSIONAL CHART																							
		A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W	X	Y	Z	
12"x16"	LT	35 $\frac{1}{2}$	23	31 $\frac{1}{4}$	19	19 $\frac{3}{4}$	25 $\frac{3}{4}$	9 $\frac{1}{2}$	53 $\frac{1}{2}$	63	12	16	12 $\frac{1}{2}$	18 $\frac{1}{2}$	15 $\frac{1}{2}$	M20	22 $\frac{1}{16}$	12	25 $\frac{3}{4}$	39 $\frac{1}{2}$	41 $\frac{1}{2}$	15 ⁰	11 $\frac{7}{8}$	15 $\frac{3}{4}$	

CZ/NZ-3201



Section 4




Outline Dimensions

Issued: 11/00

Supersedes: 3/96



VIEW [Z] - [Z]



TYPE	NOM SIZE (K x L)	VERSION	WEIGHT (LBS) PUMP W/ STAND
CZ	4" x 6"	SH	1110
CZ	6" x 8"	HT	1310
CZ/NZ	8" x 10"	MT	1450
CZ	12" x 16"	LT	1730

ALL DIMENSIONS IN INCHES

TYPE	NOM SIZE (K x L)	VERSION	DIMENSIONAL CHART																	
			A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
CZ	4"x 6"	SH	15 $\frac{1}{2}$	44 $\frac{3}{4}$	19 $\frac{3}{4}$	13 $\frac{3}{4}$	31 $\frac{1}{2}$	17 $\frac{3}{4}$	14 $\frac{1}{2}$	36 $\frac{1}{2}$	51 $\frac{1}{4}$	4	6	10 $\frac{1}{2}$	11	9 $\frac{1}{2}$	M20	4	19 $\frac{3}{4}$	13
CZ	6"x 8"	HT	15 $\frac{1}{2}$	44 $\frac{3}{4}$	19 $\frac{3}{4}$	13 $\frac{3}{4}$	31 $\frac{1}{2}$	17 $\frac{3}{4}$	6	36 $\frac{1}{2}$	51 $\frac{1}{4}$	6	8	10 $\frac{1}{2}$	11	9 $\frac{1}{2}$	M20	6	19 $\frac{3}{4}$	13
CZ/NZ	8"x 10"	MT	15 $\frac{1}{2}$	45 $\frac{1}{2}$	19 $\frac{3}{4}$	17	36 $\frac{3}{4}$	17 $\frac{3}{4}$	8	35 $\frac{1}{4}$	53	8	10	12 $\frac{3}{4}$	16 $\frac{1}{4}$	11 $\frac{3}{4}$	M20	8	20 $\frac{1}{2}$	16
CZ	12"x 16"	LT	15 $\frac{1}{2}$	62 $\frac{1}{4}$	25 $\frac{1}{4}$	18 $\frac{3}{4}$	41 $\frac{3}{4}$	17 $\frac{3}{4}$	9 $\frac{1}{2}$	36 $\frac{3}{4}$	68 $\frac{3}{4}$	12	16	12 $\frac{1}{2}$	18 $\frac{1}{2}$	15 $\frac{3}{4}$	M20	12	31 $\frac{1}{2}$	17 $\frac{1}{2}$